

MATERIAL SAFETY DATA SHEET

(This MSDS complies with 29 CFR 1910.1200)

Product Name:	BC 5200 Kwik-Set Adhesive, Resin	BCC PRODUCTS, INC.	HMIS
Product Class:	Epoxy Resin Mixture	2140 Earlywood Drive	H - 1
Issue Date:	09/16/08	P.O. Box 327	F - 1
Approved By:	Robert R. Holmes	Franklin, IN 46131	R - 0
		317-736-4090	P - B

24 HOUR EMERGENCY NO. 1-800-424-9300 CHEMTREC

SECTION 1 - INGREDIENTS

Chemical Name	Wt. % (optional)	OSHA (PEL)	ACGIH (TLV)	CAS NO.
Diglycidyl Ether of Bisphenol A		<i>N.E.</i>	<i>N.E.</i>	25068-38-6

SECTION 2 - PHYSICAL DATA

Boiling Point:	<i>N.A.</i>	Specific Gravity (H ₂ O=1):	1.16
Vapor Pressure (mm Hg):	Not measurable	Vapor Density (Air = 1):	< 1.0.
Solubility in Water:	Insoluble	Reactivity in Water:	Non-reactive
Appearance and odor:	Viscous liquid with hydrocarbon odor		
Melting Point:	<i>N.A.</i>		

SECTION 3 - FIRE AND EXPLOSION HAZARD

Flash Point:	300 ° F	Flammable Limit:	LEL: <i>N.E.</i>
Method Used:	PMCC	(In Air % by volume)	UEL: <i>N.E.</i>
Auto Ignition Temperature:	<i>N.E.</i>		
Extinguishing Media:	Water Fog, Carbon Dioxide, or dry chemical.		
Unusual Fire & Explosion Hazards:	None.		
Fire Fighting Procedures:	Fire fighters must wear self-contained breathing apparatus to protect against toxic and irritating vapors. Full protective clothing should also be worn. Water or foam may be dangerous if sprayed into a container or burning liquid.		

SECTION 4 - REACTIVITY DATA

Stability (Conditions to avoid):	Stable (none)
Incompatibility:	Oxidizing agents.
Hazardous Decomposition Products:	Carbon monoxide, carbon dioxide
Hazardous Polymerization (Materials to avoid):	Will not occur.
Conditions to avoid:	None

***N.E.* - Not Established *N.D.A.* - No Data Available *N.A.* - Not Applicable**

SECTION 5 - ENVIRONMENTAL AND DISPOSAL INFORMATION

Spill: Wipe up with cloth or absorbent and incinerate for small spills
Disposal: Incinerate or dispose of in a landfill depending on State and Local laws.

SECTION 6 - FIRST AID AND HEALTH INFORMATION

Routes of Entry FIRST AID

Inhalation: Remove victim to fresh air. Use oxygen if necessary.
Eyes: Immediately flush with large amounts of water for at least 15 minutes. Seek prompt medical attention.
Skin: Remove contaminated clothes and wash affected areas with soap and water.
Ingestion: Drink two glasses of water and induce vomiting.
Emergency and First Aid Procedures: There is no specific antidote. Treatment should be directed to the control of the symptoms.

EFFECTS OF OVEREXPOSURE

Acute: Moderately toxic and may result in sensitization.
Chronic: No evidence of adverse effects from available information.
Signs and Symptoms of Exposure: Skin irritation and if swallowed may cause nausea and vomiting.
Medical Conditions Generally Aggravated by Exposure: Skin disorders may be especially affected and compounded with irritation.

Carcinogen Potential: NTP (National Toxicology Program): No IARC (Monographs): No. OSHA: No.

SECTION 7 - SPECIAL HANDLING & STORAGE PRECAUTIONS

Do not get in eyes, on skin or on clothing. Avoid breathing vapors. Wash after handling. Do not take internally. Avoid contact with liquid or vapors. Store with adequate ventilation; Local Exhaust

SECTION 8 - SPECIAL PROTECTION INFORMATION

Respiratory Protection: Use NIOSH approved respirator.
Ventilation: Use adequate ventilation. Local exhaust.
Eye Protection: Splash Guard
Protective Gloves: Butyl, PVC, Polyethylene
Personal Protection: Eye bath, safety shower and chemical apron. Keep clean and wash off any contamination. Educate and train employees on safe use of product.

The information contained herein is, to the best of our knowledge and belief, accurate. However, since the conditions of handling and use are beyond our control, we make no guarantee of results, and assume no liability for damages incurred by use of this material. It is the responsibility of the user to comply with all applicable federal, state, and local laws and regulations.